



Stub Flange DIN long spigot W/P-TW
injection moulded Butt + E-fusion-welding
PE 100-RC black

Size	Code	Detail	Weight	da(OD) mm	s mm	L mm	L3 mm	d3 mm	d4 mm	h mm
110	70.062.0110.26	110X4,2 SDR26 PN6,3	0.562	110	4,2	158	113	125	158	18
160	70.062.0160.26	160X6,2 SDR26 PN6,3	1.229	160	6,2	198	148	175	212	18
200	70.062.0200.26	200X7,7 SDR26 PN6,3	2.190	200	7,7	207	143	232	268	24
225	70.062.0225.26	225X8,6 SDR26 PN6,3	2.100	225	8,6	210	154	235	268	24
250	70.062.0250.26	250X9,6 SDR26 PN6,3	3.400	250	9,6	204	132	285	320	25
315	70.062.0315.26	315X12,1 SDR26 PN6,3	4.590	315	12,1	219	154	335	370	25
400	70.062.0400.26	400X15,3 SDR26 PN6,3	9.000	400	15,3	265	186	427	482	33
63	70.062.0063.17	63X3,8 SDR17 PN10	0.179	63	3,8	119	78	75	102	14
75	70.062.0075.17	75X4,5 SDR17 PN10	0.260	75	4,5	126	85,5	89	122	16



Size	Code	Detail	Weight	da(OD) mm	s mm	L mm	L3 mm	d3 mm	d4 mm	h mm
90	70.062.0090.17	90X5,4 SDR17 PN10	0.370	90	5,4	140	100	105	138	17
110	70.062.0110.17	110X6,6 SDR17 PN10	0.578	110	6,6	158	113	125	158	18
125	70.062.0125.17	125X7,4 SDR17 PN10	0.625	125	7,4	167	125	132	158	18
140	70.062.0140.17	140X8,3 SDR17 PN10	0.900	140	8,3	180	127	155	188	18
160	70.062.0160.17	160X9,5 SDR17 PN10	1.240	160	9,5	198	148	175	212	18
180	70.062.0180.17	180X10,7 SDR17 PN10	1.392	180	10,7	210	148	183	212	20
200	70.062.0200.17	200X11,9 SDR17 PN10	2.280	200	11,9	207	143	232	268	24
225	70.062.0225.17	225X13,4 SDR17 PN10	2.300	225	13,4	210	154	235	268	24
250	70.062.0250.17	250X14,8 SDR17 PN10	3.455	250	14,8	204	132	285	320	25
280	70.062.0280.17	280X16,6 SDR17 PN10	3.720	280	16,6	218	145	288	320	25
315	70.062.0315.17	315X18,7 SDR17 PN10	4.700	315	18,7	219	154	335	370	25
355	70.062.0355.17	355X21,1 SDR17 PN10	7.280	355	21,1	255	178	373	430	30
400	70.062.0400.17	400X23,7 SDR17 PN10	9.500	400	23,7	265	186	427	482	33
20	70.062.0020.11	20X3,0 SDR11 PN16	0.025	20	3	88	64	27	45	7
25	70.062.0025.11	25X3,0 SDR11 PN16	0.040	25	3	86	64	33	58	9
32	70.062.0032.11	32X3,0 SDR11 PN16	0.057	32	3	89	61	40	68	10
40	70.062.0040.11	40X3,7 SDR11 PN16	0.087	40	3,7	100	65	50	78	11



Size	Code	Detail	Weight	da(OD) mm	s mm	L mm	L3 mm	d3 mm	d4 mm	h mm
50	70.062.0050.11	50X4,6 SDR11 PN16	0.126	50	4,6	101	69	61	88	12
63	70.062.0063.11	63X5,8 SDR11 PN16	0.217	63	5,8	122	78	75	102	14
75	70.062.0075.11	75X6,8 SDR11 PN16	0.312	75	6,8	125	86	89	122	16
90	70.062.0090.11	90X8,2 SDR11 PN16	0.460	90	8,2	140	101	105	138	17
110	70.062.0110.11	110X10,0 SDR11 PN16	0.710	110	10	159	115	125	158	18
125	70.062.0125.11	125X11,4 SDR11 PN16	0.885	125	11,4	169	122	132	158	25
140	70.062.0140.11	140X12,7 SDR11 PN16	1.320	140	12,7	188	128,5	155	188	25
160	70.062.0160.11	160X14,6 SDR11 PN16	1.770	160	14,6	200	148	175	212	25
180	70.062.0180.11	180X16,4 SDR11 PN16	2.040	180	16,4	209	155	183	212	30
200	70.062.0200.11	200X18,2 SDR11 PN16	3.220	200	18,2	210	140	232	268	32
225	70.062.0225.11	225X20,5 SDR11 PN16	3.320	225	20,5	210	145	235	268	32
250	70.062.0250.11	250X22,7 SDR11 PN16	4.700	250	22,7	204	132	285	320	35
280	70.062.0280.11	280X25,4 SDR11 PN16	5.200	280	25,4	218	145	288	320	35
315	70.062.0315.11	315X28,6 SDR11 PN16	7.580	315	28,6	238	154	335	370	35
355	70.062.0355.11	355X32,2 SDR11 PN16	10.640	355	32,2	257	176	373	430	40
400	70.062.0400.11	400X36,3 SDR11 PN16	14.420	400	36,3	274	185	427	482	46