



Tee long spigot injection moulded Butt +
E-fusion-welding PE 100-RC black

Size	Code	Detail	Weight	da(OD) mm	s mm	z mm	L mm	L3 mm
110	70.066.0110.26	110X4,2 SDR26 PN6,3	0.680	110	4,2	164	328	87
160	70.066.0160.26	160X6,2 SDR26 PN6,3	1.750	160	6,2	206	412	103
200	70.066.0200.26	200X7,70 SDR26 PN6,3	3.260	200	7,7	244	488	119
225	70.066.0225.26	225X8,60 SDR26 PN6,3	4.390	225	8,6	264,5	580	127
250	70.066.0250.26	250X9,6 SDR26 PN6,3	6.280	250	9,6	290	580	139,5
315	70.066.0315.26	315x12,1 SDR26 PN6,3	11.030	315	12,1	345,5	691	160
400	70.066.0400.26	400X15,3 SDR26 PN6,3	21.500	400	15,3	420	840	189,5
63	70.066.0063.17	63X3,8 SDR17 PN10	0.290	63	3,8	113	222	64,5
75	70.066.0075.17	75X4,5 SDR17 PN10	0.478	75	4,5	129	258	71,5
90	70.066.0090.17	90X5,4 SDR17 PN10	0.696	90	5,4	140	280	80,5
110	70.066.0110.17	110X6,6 SDR17 PN10	1.153	110	6,6	156	313	86



Size	Code	Detail	Weight	da(OD) mm	s mm	z mm	L mm	L3 mm
125	70.066.0125.17	125X7,4 SDR17 PN10	1.650	125	7,4	174	350	92
140	70.066.0140.17	140X8,3 SDR17 PN10	2.120	140	8,3	189,5	378,5	99,5
160	70.066.0160.17	160X9,5 SDR17 PN10	2.945	160	9,5	204,5	401	102
180	70.066.0180.17	180X10,7 SDR17 PN10	5.200	180	10,7	260	516	136
200	70.066.0200.17	200X11,9 SDR17 PN10	6.000	200	11,9	246	492	114
225	70.066.0225.17	225X13,4 SDR17 PN10	8.120	225	13,4	270	540	122
250	70.066.0250.17	250X14,8 SDR17 PN10	11.560	250	14,8	310	617	148,5
280	70.066.0280.17	280X16,6 SDR17 PN10	15.500	280	16,6	347	694	160,5
315	70.066.0315.17	315X18,7 SDR17 PN10	21.140	315	18,7	375	750	168,5
355	70.066.0355.17	355X21,1 SDR17 PN10	32.300	355	21,1	440	880	191
400	70.066.0400.17	400X23,7 SDR17 PN10	41.280	400	23,7	470	940	202,5
630	70.066.0630.17	630X37,4 SDR17 PN10	187.000	630	37,4	665	1.332	268,5
20	70.066.0020.11	20X3,0 SDR11 PN16	0.029	20	3	54,5	107	36,5
25	70.066.0025.11	25X3,0 SDR11 PN16	0.042	25	3	59	117	41
32	70.066.0032.11	32X3,0 SDR11 PN16	0.067	32	3	71	144	46
40	70.066.0040.11	40X3,7 SDR11 PN16	0.117	40	3,7	84	165	52
50	70.066.0050.11	50X4,6 SDR11 PN16	0.199	50	4,6	95	189	58



Size	Code	Detail	Weight	da(OD) mm	s mm	z mm	L mm	L3 mm
63	70.066.0063.11	63X5,8 SDR11 PN16	0.350	63	5,8	114	226	66
75	70.066.0075.11	75X6,8 SDR11 PN16	0.639	75	6,8	128	260	72
90	70.066.0090.11	90X8,2 SDR11 PN16	0.960	90	8,2	143	286	81
110	70.066.0110.11	110X10,0 SDR11 PN16	1.547	110	10	158	315	87
125	70.066.0125.11	125X11,4 SDR11 PN16	2.210	125	11,4	177	353	93
140	70.066.0140.11	140X12,7 SDR11 PN16	2.885	140	12,7	189,5	378,5	99,5
160	70.066.0160.11	160X14,6 SDR11 PN16	4.040	160	14,6	202,5	405	101
180	70.066.0180.11	180X16,4 SDR11 PN16	6.900	180	16,4	260	516	138
200	70.066.0200.11	200X18,2 SDR11 PN16	7.950	200	18,2	245	490	114
225	70.066.0225.11	225X20,5 SDR11 PN16	10.850	225	20,5	271	541	122
250	70.066.0250.11	250X22,7 SDR11 PN16	15.060	250	22,7	310	615	149,5
280	70.066.0280.11	280X25,4 SDR11 PN16	20.860	280	25,4	347	694	160,5
315	70.066.0315.11	315X28,6 SDR11 PN16	28.460	315	28,6	375	748	170,5
355	70.066.0355.11	355X32,2 SDR11 PN16	42.680	355	32,2	437	880	191
400	70.066.0400.11	400X36,3 SDR11 PN16	56.460	400	36,3	470	940	201
630	70.066.0630.11	630X57,2 SDR11 PN16	193.000	630	57,2	665	1.332	268,5
63	70.066.0063.07	63X8,6 SDR7,4 PN25	0.489	63	8,6	111	219	63



Size	Code	Detail	Weight	da(OD) mm	s mm	z mm	L mm	L3 mm
90	70.066.0090.07	90X12,3 SDR7,4 PN25	1.276	90	12,3	141	284	79
110	70.066.0110.07	110X15,1 SDR7,4 PN25	2.080	110	15,1	158	313	82
125	70.066.0125.07	125X17,1 SDR7,4 PN25	2.873	125	17,1	171,5	342	89,5
160	70.066.0160.07	160X21,9 SDR7,4 PN25	5.820	160	21,9	203	410	99
200	70.066.0200.07	200X27,4 SDR7,4 PN25	11.100	200	27,4	247	495	115
225	70.066.0225.07	225X30,8 SDR7,4 PN25	14.700	225	30,8	268,5	542	120