



Spigot saddle System Topload machined
Electro-fusion PE 100-RC black

Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s1 mm	L3 mm	d mm	h mm
355/90	70.289.3590.11	355/90 SDR11 MOP 16 bar	1.270	355	90	8,2	94	200	176
355/110	70.289.3511.11	355/110 SDR11 MOP 16 bar	2.230	355	110	10	97	250	194
355/125	70.289.3512.11	355/125 SDR11 MOP 16 bar	2.980	355	125	11,4	102	280	209
355/160	70.289.3516.11	355/160 SDR11 MOP 16 bar	4.300	355	160	14,6	113	315	236
355/200	70.289.3520.11	355/200 SDR11 MOP 16 bar	6.900	355	200	18,2	127	400	297
400/63	70.289.4063.11	400/63 SDR11 MOP 16 bar	1.150	400	63	5,8	78	200	157



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s1 mm	L3 mm	d mm	h mm
400/90	70.289.4090.11	400/90 SDR11 MOP 16 bar	1.260	400	90	8,2	94	200	173
400/110	70.289.4011.11	400/110 SDR11 MOP 16 bar	2.200	400	110	10	97	250	189
400/125	70.289.4012.11	400/125 SDR11 MOP 16 bar	2.900	400	125	11,4	102	280	204
400/250	70.289.4025.11	400/250 SDR11 MOP 16 bar	13.450	400	250	22,7	144	450	327
450/63	70.289.4563.11	450/63 SDR11 MOP 16 bar	1.160	450	63	5,8	78	200	155
450/90	70.289.4590.11	450/90 SDR11 MOP 16 bar	1.200	450	90	8,2	94	200	171
450/110	70.289.4511.11	450/110 SDR11 MOP 16 bar	2.100	450	110	10	97	250	186
450/125	70.289.4512.11	450/125 SDR11 MOP 16 bar	3.300	450	125	11,4	102	280	199
450/160	70.289.4516.11	450/160 SDR11 MOP 16 bar	4.580	450	160	14,6	113	315	234



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s1 mm	L3 mm	d mm	h mm
500/63	70.289.5063.11	500/63 SDR11 MOP 16 bar	1.067	500	63	5,8	78	200	152
500/90	70.289.5090.11	500/90 SDR11 MOP 16 bar	1.220	500	90	8,2	94	200	168
500/110	70.289.5011.11	500/110 SDR11 MOP 16 bar	2.000	500	110	10	97	250	182
500/125	70.289.5012.11	500/125 SDR11 MOP 16 bar	2.740	500	125	11,4	102	280	195
500/160	70.289.5016.11	500/160 SDR11 MOP 16 bar	4.500	500	160	14,6	113	315	229
500/200	70.289.5020.11	500/200 SDR11 MOP 16 bar	8.400	500	200	18,2	127	400	272
500/225	70.289.5022.11	500/225 SDR11 MOP 16 bar	8.755	500	225	20,5	135	400	277
560/90	70.289.5690.11	560/90 SDR11 MOP 16 bar	1.170	560	90	8,2	94	200	166
560/110	70.289.5611.11	560/110 SDR11 MOP 16 bar	1.807	560	110	10	97	250	179



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s1 mm	L3 mm	d mm	h mm
560/125	70.289.5612.11	560/125 SDR11 MOP 16 bar	2.680	560	125	11,4	102	280	191
560/160	70.289.5616.11	560/160 SDR11 MOP 16 bar	4.380	560	160	14,6	113	315	223
560/180	70.289.5618.11	560/180 SDR11 MOP 16 bar	6.000	560	180	16,4	120	355	244
560/225	70.289.5622.11	560/225 SDR11 MOP 16 bar	8.300	560	225	20,5	135	400	270
560/250	70.289.5625.11	560/250 SDR11 MOP 16 bar	11.400	560	250	22,7	144	450	300
560/280	70.289.5628.11	560/280 SDR11 MOP 16 bar	15.500	560	280	25,4	154	500	328
560/315	70.289.5631.11	560/315 SDR11 MOP 16 bar	21.500	560	315	28,6	165	560	357
630/63	70.289.6363.11	630/63 SDR11 MOP 16 bar	1.100	630	63	5,8	78	200	150
630/90	70.289.6390.11	630/90 SDR11 MOP 16 bar	1.180	630	90	8,2	94	200	166



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s1 mm	L3 mm	d mm	h mm
630/110	70.289.6311.11	630/110 SDR11 MOP 16 bar	2.000	630	110	10	97	250	176
630/125	70.289.6312.11	630/125 SDR11 MOP 16 bar	2.600	630	125	11,4	102	280	188
630/160	70.289.6316.11	630/160 SDR11 MOP 16 bar	4.280	630	160	14,6	113	315	219
630/200	70.289.6320.11	630/200 SDR11 MOP 16 bar	7.920	630	200	18,2	127	400	258
630/280	70.289.6328.11	630/280 SDR11 MOP 16 bar	14.800	630	280	25,4	154	500	318
630/315	70.289.6331.11	630/315 SDR11 MOP 16 bar	20.500	630	315	28,6	165	560	346
710/90	70.289.7190.11	710/90 SDR11 MOP 16 bar	1.170	710	90	8,2	94	200	164
710/110	70.289.7111.11	710/110 SDR11 MOP 16 bar	2.000	710	110	10	97	250	174
710/160	70.289.7116.11	710/160 SDR11 MOP 16 bar	4.160	710	160	14,6	113	315	214



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s1 mm	L3 mm	d mm	h mm
710/225	70.289.7122.11	710/225 SDR11 MOP 16 bar	8.000	710	225	20,5	135	400	257
800/63	70.289.8063.11	800/63 SDR11 MOP 16 bar	1.100	800	63	5,8	78	200	146
800/125	70.289.8012.11	800/125 SDR11 MOP 16 bar	2.510	800	125	11,4	102	280	181
800/160	70.289.8016.11	800/160 SDR11 MOP 16 bar	4.100	800	160	14,6	113	315	211
800/225	70.289.8022.11	800/225 SDR11 MOP 16 bar	7.800	800	225	20,5	135	400	252
800/250	70.289.8025.11	800/250 SDR11 MOP 16 bar	10.500	800	250	22,7	144	450	276
800/315	70.289.8031.11	800/315 SDR11 MOP 16 bar	18.400	800	315	28,6	165	560	325
900/280	70.289.9028.11	900/280 SDR11 MOP 16 bar	13.100	900	280	25,4	154	500	293
1000/160	70.289.1016.11	1000/160 SDR11 MOP 16 bar	4.680	1.000	160	14,6	113	315	214



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s1 mm	L3 mm	d mm	h mm
1000/200	70.289.1020.11	1000/200 SDR11 MOP 16 bar	8.200	1.000	200	18,2	127	400	246
1000/225	70.289.1022.11	1000/225 SDR11 MOP 16 bar	8.760	1.000	225	20,5	165	400	253
1000/250	70.289.1025.11	1000/250 SDR11 MOP 16 bar	11.200	1.000	250	22,7	144	450	274
1000/315	70.289.1031.11	1000/315 SDR11 MOP 16 bar	19.300	1.000	315	28,6	165	560	318
1000/355	70.289.1035.11	1000/355 SDR11 MOP 16 bar	26.500	1.000	355	32,2	179	560	355
1200/110	70.289.1211.11	1200/110 SDR11 MOP 16 bar	1.800	1.200	110	10	97	250	166
1200/315	70.289.1231.11	1200/315 SDR11 MOP 16 bar	23.900	1.200	315	28,6	165	560	336
1200/355	70.289.1235.11	1200/355 SDR11 MOP 16 bar	32.200	1.200	355	32,2	179	630	370
1400/110	70.289.1411.11	1400/110 SDR11 MOP 16 bar	1.800	1.400	110	10	97	250	164



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s1 mm	L3 mm	d mm	h mm
1400/400	70.289.1440.11	1400/400 SDR11 MOP 16 bar	32.200	1.400	400	36,3	194	630	371
1600/450	70.289.1645.11	1600/450 SDR11 MOP 8 bar	42.500	1.600	450	40,9	210	710	398
1800/500	70.289.1850.17	1800/500 SDR17 MOP 5 bar	50.700	1.800	500	29,7	227	800	425
2000/560	70.289.2056.17	2000/560 SDR17 MOP 5 bar	66.500	2.000	560	33,2	250	900	457
2250/630	70.289.2263.17	2250/630 SDR17 MOP 5 bar	86.000	2.250	630	37,4	270	1.000	490
2500/710	70.289.2571.17	2500/710 SDR17 MOP 3 bar	125.000	2.500	710	42,1	270	1.120	524