



Spigot saddle System Topload machined  
Electro-fusion PE 100-RC black

Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s1 mm	L3 mm	d mm	h mm
355/90	70.289.3590.11	355/90 SDR11 MOP 16 bar	1.270	355	90	8,2	94	200	176
355/110	70.289.3511.11	355/110 SDR11 MOP 16 bar	2.230	355	110	10	97	250	194
355/125	70.289.3512.11	355/125 SDR11 MOP 16 bar	2.980	355	125	11,4	102	280	209
400/90	70.289.4090.11	400/90 SDR11 MOP 16 bar	1.260	400	90	8,2	94	200	173
400/110	70.289.4011.11	400/110 SDR11 MOP 16 bar	2.200	400	110	10	97	250	189
400/125	70.289.4012.11	400/125 SDR11 MOP 16 bar	2.900	400	125	11,4	102	280	204



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s1 mm	L3 mm	d mm	h mm
450/90	70.289.4590.11	450/90 SDR11 MOP 16 bar	1.200	450	90	8,2	94	200	171
450/110	70.289.4511.11	450/110 SDR11 MOP 16 bar	2.100	450	110	10	97	250	186
450/125	70.289.4512.11	450/125 SDR11 MOP 16 bar	3.300	450	125	11,4	102	280	199
500/90	70.289.5090.11	500/90 SDR11 MOP 16 bar	1.220	500	90	8,2	94	200	168
500/110	70.289.5011.11	500/110 SDR11 MOP 16 bar	2.000	500	110	10	97	250	182
500/125	70.289.5012.11	500/125 SDR11 MOP 16 bar	2.740	500	125	11,4	102	280	195
560/90	70.289.5690.11	560/90 SDR11 MOP 16 bar	1.170	560	90	8,2	94	200	166
560/110	70.289.5611.11	560/110 SDR11 MOP 16 bar	1.807	560	110	10	97	250	179
560/125	70.289.5612.11	560/125 SDR11 MOP 16 bar	2.680	560	125	11,4	102	280	191



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s1 mm	L3 mm	d mm	h mm
630/90	70.289.6390.11	630/90 SDR11 MOP 16 bar	1.180	630	90	8,2	94	200	166
630/110	70.289.6311.11	630/110 SDR11 MOP 16 bar	2.000	630	110	10	97	250	176
630/125	70.289.6312.11	630/125 SDR11 MOP 16 bar	2.600	630	125	11,4	102	280	188