



T-Diaphragm Valve manually controlled
EPDM/PTFE diaphragm machined Butt +
IR-welding PP Pure grey

Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s mm	s1 mm	z mm	L mm	L1 mm	L2 mm	L3 mm	d1 mm	h mm
40/40	72.240.4040.11	40/40 - SDR11 MOP 10 bar	1.580	40	40	3,7	3,7	28	185	34	7	58	75	153
50/25	72.240.5025.11	50/25 - SDR11 MOP 10 bar	0.650	50	25	4,6	2,3	32	185	33	7	63,5	75	114
50/40	72.240.5040.11	50/40 - SDR11 MOP 10 bar	1.750	50	40	4,6	3,7	32	210	50	7	62	86	153
50/50	72.240.5050.11	50/50 - SDR11 MOP 10 bar	1.850	50	50	4,6	4,6	32	210	50	7	62	86	153
63/20	72.240.6320.11	63/20 - SDR11 MOP 10 bar	0.714	63	20	5,8	1,9	39	185	33	7	64,5	86	102
63/25	72.240.6325.11	63/25 - SDR11 MOP 10 bar	0.730	63	25	5,8	2,3	39	185	33	7	64,5	86	114



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s mm	s1 mm	z mm	L mm	L1 mm	L2 mm	L3 mm	d1 mm	h mm
63/40	72.240.6340.11	63/40 - SDR11 MOP 10 bar	1.926	63	40	5,8	3,7	42	210	50	7	56,5	110	153
63/50	72.240.6350.11	63/50 - SDR11 MOP 10 bar	2.050	63	50	5,8	4,6	42	210	50	7	56,5	110	153
63/63	72.240.6363.11	63/63 - SDR11 MOP 10 bar	2.780	63	63	5,8	5,8	42	210	50	7	56,5	110	184
75/20	72.240.7520.11	75/20 - SDR11 MOP 10 bar	0.860	75	20	6,8	1,9	45	210	33	7	77	98	102
75/25	72.240.7525.11	75/25 - SDR11 MOP 10 bar	0.860	75	25	6,8	2,3	45	210	33	7	77	98	114
75/32	72.240.7532.11	75/32 - SDR11 MOP 10 bar	1.050	75	32	6,8	2,9	45	210	33	7	77	98	124
75/40	72.240.7540.11	75/40 - SDR11 MOP 10 bar	1.600	75	40	6,8	3,7	45	210	50	7	60	115	153
75/50	72.240.7550.11	75/50 - SDR11 MOP 10 bar	2.039	75	50	6,8	4,6	65	210	50	7	60	115	153
75/63	72.240.7563.11	75/63 - SDR11 MOP 10 bar	2.785	75	63	6,8	5,8	45	210	50	7	60	115	184



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s mm	s1 mm	z mm	L mm	L1 mm	L2 mm	L3 mm	d1 mm	h mm
90/20	72.240.9020.11	90/20 - SDR11 MOP 10 bar	1.010	90	20	8,2	1,9	53	210	33	7	76	115	102
90/25	72.240.9025.11	90/25 - SDR11 MOP 10 bar	1.028	90	25	8,2	2,3	53	210	33	7	76	115	114
90/32	72.240.9032.11	90/32 - SDR11 MOP 10 bar	1.192	90	32	8,2	2,9	53	210	33	7	76	115	126
90/40	72.240.9040.11	90/40 - SDR11 MOP 10 bar	2.196	90	40	8,2	3,7	53	210	50	7	60	130	153
90/50	72.240.9050.11	90/50 - SDR11 MOP 10 bar	2.175	90	50	8,2	4,6	53	210	50	7	60	130	153
90/63	72.240.9063.11	90/63 - SDR11 MOP 10 bar	2.975	90	63	8,2	5,8	53	210	50	7	60	130	184
110/20	72.240.1120.11	110/20 - SDR11 MOP 10 bar	1.306	110	20	10	1,9	65	210	33	7	74,5	138	102
110/25	72.240.1125.11	110/25 - SDR11 MOP 10 bar	1.273	110	25	10	2,3	65	210	33	7	74,5	138	102
110/32	72.240.1132.11	110/32 - SDR11 MOP 10 bar	1.530	110	32	10	2,9	65	210	33	7	74,5	138	126



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s mm	s1 mm	z mm	L mm	L1 mm	L2 mm	L3 mm	d1 mm	h mm
110/40	72.240.1140.11	110/40 - SDR11 MOP 10 bar	2.445	110	40	10	3,7	65	210	50	7	62,5	145	153
110/50	72.240.1150.11	110/50 - SDR11 MOP 10 bar	2.465	110	50	10	4,6	65	210	50	7	62,5	145	153
110/63	72.240.1163.11	110/63 - SDR11 MOP 10 bar	3.184	110	63	10	5,8	65	210	50	7	62,5	145	102
110/75	72.240.1175.11	110/75 - SDR11 MOP 10 bar	6.979	110	75	10	6,8	62	330	75	7	57,5	150	259
110/90	72.240.1190.11	110/90 - SDR11 MOP 10 bar	6.865	110	90	10	8,2	62	330	90	7	47,5	155	270
140/40	72.240.1440.11	140/40 - SDR11 MOP 10 bar	2.430	140	40	12,7	3,7	77	210	50	7	62,5	175	152
160/32	72.240.1632.11	160/32 - SDR11 MOP 10 bar	2.240	160	32	14,6	2,9	89	210	33	7	78,5	180	124