



Instrumentation Fitting without thread  
machined Butt + IR-welding PVDF UHP  
natural

Size	Code	Detail	Weight	da(OD) mm	s mm	L mm	L1 mm	d1 mm
200	35.303.1200.33	200X6,2 SDR33 ISO S-16	2.780	200	6,2	120	50	224
225	35.303.1225.33	225X6,9 SDR33 ISO S-16	1.988	225	6,9	130	50	246
250	35.303.1250.33	250X7,7 SDR33 ISO S-16	3.183	250	7,7	140	50	285
280	35.303.1280.33	280X8,6 SDR33 ISO S-16	2.803	280	8,6	140	50	298
20	35.303.1020.21	20X1,9 SDR21 ISO S-10	0.193	20	1,9	120	50	50
25	35.303.1025.21	25X1,9 SDR21 ISO S-10	0.262	25	1,9	120	50	55
32	35.303.1032.21	32X2,4 SDR21 ISO S-10	0.257	32	2,4	120	50	60
40	35.303.1040.21	40X2,4 SDR21 ISO S-10	0.359	40	2,4	120	50	75
50	35.303.1050.21	50X3,0 SDR21 ISO S-10	0.411	50	3	120	50	80
75	35.303.1075.21	75X3,6 SDR21 ISO S-10	0.633	75	3,6	140	50	105
200	35.303.1200.21	200X9,6 SDR21 ISO S-10	2.180	200	9,6	120	50	224



Size	Code	Detail	Weight	da(OD) mm	s mm	L mm	L1 mm	d1 mm
225	35.303.1225.21	225X10,8 SDR21 ISO S-10	2.579	225	10,8	130	50	246
250	35.303.1250.21	250X11,9 SDR21 ISO S-10	3.957	250	11,9	140	50	285
280	35.303.1280.21	280X13,4 SDR21 ISO S-10	3.823	280	13,4	140	50	298