




T-Diaphragm Valve manually controlled
EPDM/PTFE diaphragm machined Butt +
IR-welding PVDF UHP natural

Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s mm	s1 mm	z mm	L mm	L1 mm	L2 mm	L3 mm	d1 mm	h mm
75/75	35.240.7575.21	75/75 - SDR21 MOP 10 bar	7.365	75	75	3,6	3,6	52	330	75	6	50	130	259
90/75	35.240.9075.21	90/75 - SDR21 MOP 10 bar	7.410	90	75	4,3	3,6	52	330	75	6	57,5	130	259
90/90	35.240.9090.21	90/90 - SDR21 MOP 10 bar	8.060	90	90	4,3	4,3	52	330	90	6	42,5	145	280
110/75	35.240.1175.21	110/75 - SDR21 MOP 10 bar	7.780	110	75	5,3	3,6	62	330	75	6	57,5	150	259
110/90	35.240.1190.21	110/90 - SDR21 MOP 10 bar	7.831	110	90	5,3	4,3	62	330	69	6	55	155	280
110/110	35.240.1111.21	110/110 - SDR21 MOP 10 bar	12.859	110	110	5,3	5,3	67	330	132	11	42	155	320
140/75	35.240.1475.21	140/75 - SDR21 MOP 10 bar	7.860	140	75	6,7	3,6	82	230	75	6	60	175	259
140/90	35.240.1490.21	140/90 - SDR21 MOP 10 bar	8.840	140	90	6,7	4,3	82	330	90	6	47	178	280



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s mm	s1 mm	z mm	L mm	L1 mm	L2 mm	L3 mm	d1 mm	h mm
140/110	35.240.1411.21	140/110 - SDR21 MOP 10 bar	13.640	140	110	6,7	5,3	82	330	134,2	6	42,1	178	320
140/140	35.240.1414.21	140/140 - SDR21 MOP 10 bar	15.999	140	140	6,7	6,7	82	360	100	6	40	220	390
160/90	35.240.1690.21	160/90 - SDR21 MOP 10 bar	9.606	160	90	7,7	4,3	92	330	78	6	42	200	280
160/110	35.240.1611.21	160/110 - SDR21 MOP 10 bar	14.800	160	110	7,7	5,3	92	330	134	10	42,1	195	320
160/140	35.240.1614.21	160/140 - SDR21 MOP 10 bar	16.059	160	140	7,7	6,7	92	360	100	6	40	240	390
200/50	35.240.2050.21	200/50 - SDR21 MOP 10 bar	4.572	200	50	9,6	3	109	210	50	6	25	224	153
200/90	35.240.2090.21	200/90 - SDR21 MOP 10 bar	11.506	200	90	9,6	4,3	112	330	81	6	42	245	280
200/110	35.240.2011.21	200/110 - SDR21 MOP 10 bar	17.258	200	110	9,6	5,3	112	330	105	6	37,5	250	320
200/140	35.240.2014.21	200/140 - SDR21 MOP 10 bar	22.549	200	140	9,6	6,7	112	360	159	6	42	245	390
225/20	35.240.2220.21	225/20 - SDR21 MOP 10 bar	3.260	225	20	10,8	1,9	121,5	220	50	6	45	246	103
225/32	35.240.2232.21	225/32 - SDR21 MOP 10 bar	3.356	225	32	10,8	2,4	121,5	210	50	6	30	246	124
225/50	35.240.2250.21	225/50 - SDR21 MOP 10 bar	5.264	225	50	10,8	3	121,5	210	50	6	30	246	153



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s mm	s1 mm	z mm	L mm	L1 mm	L2 mm	L3 mm	d1 mm	h mm
225/63	35.240.2263.21	225/63 - SDR21 MOP 10 bar	6.500	225	63	10,8	3	121,5	210	65	6	62,5	250	184
225/75	35.240.2275.21	225/75 - SDR21 MOP 10 bar	12.350	225	75	10,8	3,6	122,5	330	75	6	60	260	259
225/90	35.240.2290.21	225/90 - SDR21 MOP 10 bar	12.705	225	90	10,8	4,3	122,5	330	74	6	55	265	280
225/110	35.240.2211.21	225/110 - SDR21 MOP 10 bar	18.200	225	110	10,8	5,3	123,5	330	132	10	42,1	255	320
225/140	35.240.2214.21	225/140 - SDR21 MOP 10 bar	20.103	225	140	10,8	6,7	127,5	360	162	6	42	265	390