




T-Diaphragm Valve manually controlled
EPDM/PTFE diaphragm Butt + IR + HPF-
welding PVDF UHP natural

Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s mm	s1 mm	z mm	L mm	L1 mm	L2 mm	L3 mm	d mm	d1 mm	h mm
20/20	35.343.2020.21	20/20 - SDR21 MOP 10 bar	0.611	20	20	1,9	1,9	144	164	35,5	67	38	118	26	13
25/20	35.343.2520.21	25/20 - SDR21 MOP 10 bar	0.601	25	20	1,9	1,9	144	164	36	67	38	118	26	14
25/25	35.343.2525.21	25/25 - SDR21 MOP 10 bar	0.598	25	25	1,9	1,9	142	164	36	70	38	118	26	15
32/20	35.343.3220.21	32/20 - SDR21 MOP 10 bar	0.880	32	20	2,4	1,9	150	164	36	58	36	128	30	17
32/25	35.343.3225.21	32/25 - SDR21 MOP 10 bar	0.880	32	25	2,4	1,9	150	164	36	60	36	128	30	17
32/32	35.343.3232.21	32/32 - SDR21 MOP 10 bar	0.891	32	32	2,4	2,4	150	164	36	61	36	128	30	18
40/20	35.343.4020.21	40/20 - SDR21 MOP 10 bar	0.913	40	20	2,4	1,9	155	184	46	58	36	128	35	21
40/25	35.343.4025.21	40/25 - SDR21 MOP 10 bar	0.916	40	25	2,4	1,9	155	184	46	60	36	128	35	21,5
40/32	35.343.4032.21	40/32 - SDR21 MOP 10 bar	0.934	40	32	2,4	2,4	155	184	46	61	36	128	35	21,5



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s mm	s1 mm	z mm	L mm	L1 mm	L2 mm	L3 mm	d mm	d1 mm	h mm
40/40	35.343.4040.21	40/40 - SDR21 MOP 10 bar	2.638	40	40	2,4	2,4	236	237	47	101,5	0	189	47	21,5
50/20	35.343.5020.21	50/20 - SDR21 MOP 10 bar	1.003	50	20	3	1,9	160,5	184	46	59	36	128	39	26,5
50/25	35.343.5025.21	50/25 - SDR21 MOP 10 bar	0.961	50	25	3	1,9	160,5	184	46	60	36	128	39	26,5
50/32	35.343.5032.21	50/32 - SDR21 MOP 10 bar	0.995	50	32	3	2,4	160	184	46	61	36	128	39	26,5
50/40	35.343.5040.21	50/40 - SDR21 MOP 10 bar	3.010	50	40	3	2,4	238	238	47	96	0	200	53	25,5
50/50	35.343.5050.21	50/50 - SDR21 MOP 10 bar	3.020	50	50	3	3	239	238	47	101	0	200	53	26,5
63/20	35.343.6320.21	63/20 - SDR21 MOP 10 bar	1.040	63	20	3	1,9	168	184	46	58	36	128	46,5	33
63/25	35.343.6325.21	63/25 - SDR21 MOP 10 bar	1.083	63	25	3	1,9	168	184	46	60	36	128	46,5	33
63/32	35.343.6332.21	63/32 - SDR21 MOP 10 bar	1.085	63	32	3	2,4	168	184	46	61	36	128	46,5	33
63/40	35.343.6340.21	63/40 - SDR21 MOP 10 bar	3.102	63	40	3	2,4	242	235	46	88,5	50	199	60	33
63/50	35.343.6350.21	63/50 - SDR21 MOP 10 bar	3.142	63	50	3	3	242	235	46	93	50	199	60	33
63/63	35.343.6363.21	63/63 - SDR21 MOP 10 bar	3.112	63	63	3	3	242	235	46	100	50	199	60	33
75/25	35.343.7525.21	75/25 - SDR21 MOP 10 bar	1.232	75	25	3,6	1,9	179	210	33	60,5	38	133	56	23



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s mm	s1 mm	z mm	L mm	L1 mm	L2 mm	L3 mm	d mm	d1 mm	h mm
75/32	35.343.7532.21	75/32 - SDR21 MOP 10 bar	1.260	75	32	3,6	2,4	179	210	33	65	38	133	56	23
75/40	35.343.7540.21	75/40 - SDR21 MOP 10 bar	3.260	75	40	3,6	2,4	248	210	33	88	50	199	65	39
75/50	35.343.7550.21	75/50 - SDR21 MOP 10 bar	3.217	75	50	3,6	3	248	210	33	93	50	199	65	39
75/63	35.343.7563.21	75/63 - SDR21 MOP 10 bar	3.195	75	63	3,6	3	248	210	33	100	50	199	65	39
90/20	35.343.9020.21	90/20 - SDR21 MOP 10 bar	0.920	90	20	4,3	1,9	188	210	33	58	38	135	65	23,5
90/25	35.343.9025.21	90/25 - SDR21 MOP 10 bar	1.451	90	25	4,3	1,9	188	210	33	60,5	38	135	65	23,5
90/32	35.343.9032.21	90/32 - SDR21 MOP 10 bar	1.447	90	32	4,3	2,4	188	210	33	64	38	135	65	23,5
90/40	35.343.9040.21	90/40 - SDR21 MOP 10 bar	3.403	90	40	4,3	2,4	255	210	33	88	50	199	72	46,5
90/50	35.343.9050.21	90/50 - SDR21 MOP 10 bar	3.420	90	50	4,3	3	255	210	33	93,5	50	199	72	46,5
90/63	35.343.9063.21	90/63 - SDR21 MOP 10 bar	3.372	90	63	4,3	3	255	210	33	100	50	199	72	46,5
110/20	35.343.1120.21	110/20 - SDR21 MOP 10 bar	1.728	110	20	5,3	1,9	195	210	33	55	35	140	71	33,5
110/25	35.343.1125.21	110/25 - SDR21 MOP 10 bar	1.740	110	25	5,3	1,9	198	210	33	57,5	38	140	71	33,5
110/32	35.343.1132.21	110/32 - SDR21 MOP 10 bar	1.748	110	32	5,3	2,4	198	210	33	61	38	140	71	33,5



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s mm	s1 mm	z mm	L mm	L1 mm	L2 mm	L3 mm	d mm	d1 mm	h mm
110/40	35.343.1140.21	110/40 - SDR21 MOP 10 bar	3.734	110	40	5,3	2,4	267	210	33	88,5	50	199	72	56,5
110/50	35.343.1150.21	110/50 - SDR21 MOP 10 bar	3.734	110	50	5,3	3	267	210	33	93,5	50	199	72	56,5
110/63	35.343.1163.21	110/63 - SDR21 MOP 10 bar	3.717	110	63	5,3	3	267	210	33	100	50	199	72	56,5
140/32	35.343.1432.21	140/32 - SDR21 MOP 10 bar	2.280	140	32	6,7	2,4	213	212	51	62	35	144	84,5	18
140/40	35.343.1440.21	140/40 - SDR21 MOP 10 bar	4.610	140	40	6,7	2,4	281	250	54	100	48	205	95	33
140/50	35.343.1450.21	140/50 - SDR21 MOP 10 bar	4.300	140	50	6,7	3	281	250	54	100	48	205	95	33
140/63	35.343.1463.21	140/63 - SDR21 MOP 10 bar	4.595	140	63	6,7	3	280	250	54	101,5	48	205	95	33
160/32	35.343.1632.21	160/32 - SDR21 MOP 10 bar	2.630	160	32	7,7	2,4	224	212	52	62	35	144	105	18
160/40	35.343.1640.21	160/40 - SDR21 MOP 10 bar	4.800	160	40	7,7	2,4	290	250	54	100	48	205	103	34
160/50	35.343.1650.21	160/50 - SDR21 MOP 10 bar	4.915	160	50	7,7	3	290	250	54	100	48	205	103	34
160/63	35.343.1663.21	160/63 - SDR21 MOP 10 bar	4.970	160	63	7,7	3	290	250	54,5	101,5	48	205	103	34
90/20	35.343.9020.31	90/20 - SDR33/21 MOP 10 bar	1.416	90	20	2,8	1,9	188	210	33	58	38	135	65	23,5
90/25	35.343.9025.31	90/25 - SDR33/21 MOP 10 bar	1.421	90	25	2,8	1,9	188	210	33	60,5	38	135	65	23,5



Size	Code	Detail	Weight	da(OD) mm	da1(OD1) mm	s mm	s1 mm	z mm	L mm	L1 mm	L2 mm	L3 mm	d mm	d1 mm	h mm
90/32	35.343.9032.31	90/32 - SDR33/21 MOP 10 bar	1.327	90	32	2,8	2,4	188	210	33	64	38	135	65	23,5
90/40	35.343.9040.31	90/40 - SDR33/21 MOP 10 bar	3.270	90	40	2,8	2,4	255	210	33	88	50	199	72	46,5
90/50	35.343.9050.31	90/50 - SDR33/21 MOP 10 bar	3.380	90	50	2,8	3	255	210	33	93,5	50	199	72	46,5
90/63	35.343.9063.31	90/63 - SDR33/21 MOP 10 bar	3.240	90	63	2,8	3	255	210	33	100	50	199	72	46,5
110/20	35.343.1120.31	110/20 - SDR33/21 MOP 10 bar	1.670	110	20	3,4	1,9	192	210	33	55	35	140	71	33,5
110/25	35.343.1125.31	110/25 - SDR33/21 MOP 10 bar	1.662	110	25	3,4	1,9	198	210	33	57,5	38	140	71	33,5
110/32	35.343.1132.31	110/32 - SDR33/21 MOP 10 bar	1.620	110	32	3,4	2,4	198	210	33	61	38	140	71	33,5
110/40	35.343.1140.31	110/40 - SDR33/21 MOP 10 bar	3.640	110	40	3,4	2,4	267	210	33	88,5	50	199	72	56,5
110/50	35.343.1150.31	110/50 - SDR33/21 MOP 10 bar	3.691	110	50	3,4	3	267	210	33	93,5	50	199	72	56,5
110/63	35.343.1163.31	110/63 - SDR33/21 MOP 10 bar	3.589	110	63	3,4	3	267	210	33	100	50	199	72	56,5