



ÇOKLU Büküm 90° uzun spigot W/P-TW
enjeksiyon kalıplı Alın + E-füzyon kaynağı
PE 100-RC siyah

Boyut	Kod	Detay	Ağırlık	da(OD) mm	s mm	r mm	z mm	L3 mm
63	70.068.0063.17	63X3,8 SDR17 PN10	0.186	63	3,8	63	129,5	66,5
75	70.068.0075.17	75X4,5 SDR17 PN10	0.294	75	4,5	75	150	75
90	70.068.0090.17	90X5,4 SDR17 PN10	0.484	90	5,4	90	168	76
110	70.068.0110.17	110X6,6 SDR17 PN10	0.770	110	6,6	110	189	82
125	70.068.0125.17	125X7,4 SDR17 PN10	1.190	125	7,4	125	218	87
140	70.068.0140.17	140X8,3 SDR17 PN10	1.619	140	8,3	140	241	99
160	70.068.0160.17	160X9,5 SDR17 PN10	2.281	160	9,5	160	260	101
180	70.068.0180.17	180X10,7 SDR17 PN10	3.158	180	10,7	180	285	109
200	70.068.0200.17	200X11,9 SDR17 PN10	4.180	200	11,9	200	318,5	118,5
225	70.068.0225.17	225X13,4 SDR17 PN10	5.839	225	13,4	225	353	125
250	70.068.0250.17	250X14,8 SDR17 PN10	7.380	250	14,8	250	389	133



Boyut	Kod	Detay	Ağırlık	da(OD) mm	s mm	r mm	z mm	L3 mm
280	70.068.0280.17	280X16,6 SDR17 PN10	10.134	280	16,6	280	429	143
315	70.068.0315.17	315X18,7 SDR17 PN10	14.580	315	18,7	315	475	158
20	70.068.0020.11	20X2,0 SDR11 PN16	0.014	20	2	20	60	40
25	70.068.0025.11	25X2,3 SDR11 PN16	0.023	25	2,3	25	68,5	42,5
32	70.068.0032.11	32X3,0 SDR11 PN16	0.043	32	3	32	79	47
40	70.068.0040.11	40X3,7 SDR11 PN16	0.075	40	3,7	40	92,5	52
50	70.068.0050.11	50X4,6 SDR11 PN16	0.138	50	4,6	50	108,5	58,5
63	70.068.0063.11	63X5,8 SDR11 PN16	0.260	63	5,8	63	129,5	66,5
75	70.068.0075.11	75X6,8 SDR11 PN16	0.413	75	6,8	75	150	75
90	70.068.0090.11	90X8,2 SDR11 PN16	0.680	90	8,2	90	168	76
110	70.068.0110.11	110X10,0 SDR11 PN16	1.125	110	10	110	189	82
125	70.068.0125.11	125X11,4 SDR11 PN16	1.700	125	11,4	125	218	92
140	70.068.0140.11	140X12,7 SDR11 PN16	2.353	140	12,7	140	241	99
160	70.068.0160.11	160X14,6 SDR11 PN16	3.308	160	14,6	160	260	101
180	70.068.0180.11	180X16,4 SDR11 PN16	4.572	180	16,4	180	285	109
200	70.068.0200.11	200X18,2 SDR11 PN16	6.118	200	18,2	200	318,5	118,5
225	70.068.0225.11	225X20,5 SDR11 PN16	8.515	225	20,5	225	353	125



Boyut	Kod	Detay	Ağırlık	da(OD) mm	s mm	r mm	z mm	L3 mm
250	70.068.0250.11	250X22,7 SDR11 PN16	10.800	250	22,7	250	389	133
280	70.068.0280.11	280X25,4 SDR11 PN16	15.100	280	25,4	280	429	143
315	70.068.0315.11	315X28,6 SDR11 PN16	21.020	315	28,6	315	475	158